

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.


JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

$$= \frac{\pi}{4} \int_{0}^{\frac{1}{2}\pi} \sin^2 \theta \, d\theta / \int_{0}^{\frac{1}{2}\pi} \sin \theta \, d\theta = \frac{\pi^2}{16}.$$

II. Solution by G. B. M. ZERR, A. M., Ph. D., Parsons, W. Va.

Let CH, LK be the diameters of the sections of the sphere made by

the planes.  $\overset{.}{B}$ , D their centers; O the center of the sphere; OQ a line such that a line in the plane LK is parallel to the plane DOQ. OC=OK=r,  $\angle COB=\theta$ ,  $\angle KOD=\phi$ ,  $\angle DOQ=\psi$ . The limits of  $\theta$  and 0 are  $\frac{1}{2}\pi$ ; of  $\phi$ , 0 and  $\frac{1}{2}\pi$ ; of  $\psi$   $\pm$   $(\theta-\phi)$  and  $\theta+\phi$ . The double sign is used + for  $\theta>\phi$ , - for  $\theta<\phi$ . Hence the chance p is



$$p = \int_0^{\frac{1}{2}\pi} \int_0^{\frac{1}{2}\pi} \int_{\pm(0-\phi)}^{\theta+\phi} d\theta \, d\phi \, d\psi / \int_0^{\frac{1}{2}\pi} \int_0^{\frac{1}{2}\pi} \int_0^{\pi} d\theta \, d\phi \, d\psi$$

NOTE.—These two solutions differ in the method of distributing the direction of the random planes. Ed. F.

## NOTES AND NEWS.

Professor C. Alasia, mathematical editor of the "Rivista di Fisica e Matematica," of Pisa and Pavia, will review in that journal all new publications sent to him at Ozieri, Italy.

At the University of Chicago, Assistant Professor L. E. Dickson has been promoted to an associate professorship in mathematics, and Associate Professor Heinrich Maschke to a full professorship in mathematics.

The following courses in Mathematics and Mathematical Astronomy are to be given at the University of Chicago during the Summer Quarter of 1907 beginning June 15th: By Professor Moore: Graphical Methods in Algebra especially for teachers, 4 hours; Theory of Determinants, Advanced Course, 4 hours; General Seminar, 2 hours. By Professor Bolza: Theory of Functions of Complex Variables, 4 hours; Problems in Theory of Functions, 2 hours; Abelian Functions, 2 hours. By Assistant Professor Slaught: Integral Calculus, 5 hours; Differential Equations, 4 hours. By Associate Professor Dickson: Trigonometry, 5 hours; Solid Analytical Geometry, 5 hours; Continuous Groups, 4 hours. By Assistant Professor Moulton: Descriptive Astronomy, 5 hours; Introduction to Celestial Mechanics, 4 hours. By Assistant Professor Laves: Descriptive Astronomy, 5 hours; General Astronomy and Observatory Work, 5 hours. By Dr. Lunn: Curve Tracing and Differential Calculus, 5 hours; Dynamics of Oscillatory Systems, 4 hours. By Mr. Lennes: Plane Analytic Geometry, 5 hours; Critical Review of Secondary Mathematics, 4 hours. In the College of Education: By Professor Myers: Pedagogy of Elementary School Mathematics, Pedagogy of Secondary School Mathematics.